



## ACID AVAILABLE SIZES

| Sizes | Type      | Style         | Finish | Thickness | Sqft/Carton | Pieces/Box | Recommended Grout Joint |
|-------|-----------|---------------|--------|-----------|-------------|------------|-------------------------|
| 12x34 | Porcelain | Non-Rectified | Matte  | 3/8"      | 11.33       | 4          | Min. 1/8"               |

## ACID TILE PERFORMANCE DATA

| Physical Properties  | Standard        | Results   |
|--|-----------------|-----------|
| Dynamic Coefficient of Friction                                | D.C.O.F. > 0.42 | ≥0.42     |
| Water Absorption   | ISO 10545-3     | E≤0.5%    |
| Breaking Strength  | ISO 10545-4     | Compliant |
| MOH's Hardness   | EN  0           | MOHS 7    |
| Chemical Resistance<br>(Acid & Bases)<br>(Household Chemicals) | ISO 10545-13    | GLA<br>GA |
| Stain Resistance   | ISO 15045-14    | Class 5   |



## PRODUCT DESCRIPTION

[Home](#) / [Porcelain & Ceramic Tile](#) / Acid



# ACID

\$0.00

- [Description](#)
- [Additional information](#)

STOCKED IN LINCOLN, NE

#### AVAILABLE COLORS

Acero  
Gris  
Oxido

Please contact the office for availability. [402-475-1300](tel:402-475-1300)

#### RECOMMENDED INSTALLATIONS

Floor  
Wall  
Exterior

#### SHARE THIS LOOK



[GENERATE PDF](#)

## ADDITIONAL INFORMATION

|                 |   |
|-----------------|---|
| <b>Color</b>    | <a href="#">Beige &amp; Cream</a> , <a href="#">Brown</a> , <a href="#">Grey</a> , <a href="#">Red &amp; Orange</a> |
| <b>Material</b> | <a href="#">Stone</a>   |
| <b>Finish</b>   | <a href="#">Polished</a>  |
| <b>Price</b>    | <a href="#">\$\$</a>  |

Acid quantity

Add to cart

SKU: acid

Categories: [Porcelain & Ceramic Tile](#), [Trade Professionals](#)

## ACID AVAILABLE SIZES

| Sizes | Type      | Style         | Finish | Thickness | Sqft/Carton | Pieces/Box | Recommended Grout Joint |
|-------|-----------|---------------|--------|-----------|-------------|------------|-------------------------|
| 12x34 | Porcelain | Non-Rectified | Matte  | 3/8"      | 11.33       | 4          | Min. 1/8"               |

## ACID TILE PERFORMANCE DATA

| Physical Properties             | Standard        | Results   |
|---------------------------------|-----------------|-----------|
| Dynamic Coefficient of Friction | D.C.O.F. > 0.42 | ≥0.42     |
| Water Absorption                | ISO 10545-3     | E≤0.5%    |
| Breaking Strength               | ISO 10545-4     | Compliant |
| MOH's Hardness                  | EN 0            | MOHS 7    |

## Physical Properties

## Standard

## Results

Chemical Resistance

(Acid & Bases)

(Household Chemicals)

ISO 10545-13

GLA

GA

Stain Resistance

ISO 15045-14

Class 5

## RELATED PRODUCTS

- 

### BRICK

\$0.00

- 

### BERSE

\$0.00

- 

### CEMENTI

\$0.00