



## ALTAMIRA AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
18x18	Porcelain	Non-Rectified	Matte	3/8"	15.75	7	Min. 1/8"
3x6 (Ivory & Walnut)	Porcelain	Rectified	Matte	3/8"	5.5	44	Min. 1/8"

## ALTAMIRA TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	<0.42
Water Absorption	ISO 10545-3	E≤0.5%
Breaking Strength	ISO 10545-4	Min 40
MOH's Hardness	EN 0	MOHS 7
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	GLB GHB
Stain Resistance	ISO 15045-14	Class 5



## PRODUCT DESCRIPTION

[Home](#) / [Porcelain & Ceramic Tile](#) / Altamira



# ALTAMIRA

\$0.00

- [Description](#)
- [Additional information](#)

STOCKED IN LINCOLN, NE

#### AVAILABLE COLORS

Ivory  
Lava  
Walnut

Please contact the office for availability. [402-475-1300](tel:402-475-1300)

#### RECOMMENDED INSTALLATIONS

Floor  
Wall  
Exterior

#### SHARE THIS STYLE



[GENERATE PDF](#)

## ADDITIONAL INFORMATION

<b>Color</b>	Brown, Gray, Black, White
<b>Material</b>	Wood, Stone, Concrete, Decorative, 3D Wall
<b>Color</b>	<a href="#">Beige &amp; Cream</a> , <a href="#">Brown</a>
<b>Material</b>	<a href="#">Stone</a>
<b>Finish</b>	<a href="#">Matte</a>
<b>Price</b>	\$

Altamira quantity

Add to cart

SKU: altamira

Categories: [Glass & Accent Tile](#), [Porcelain & Ceramic Tile](#)

## ALTAMIRA AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
18x18	Porcelain	Non-Rectified	Matte	3/8"	15.75	7	Min. 1/8"
3x6 (Ivory & Walnut)	Porcelain	Rectified	Matte	3/8"	5.5	44	Min. 1/8"

# ALTAMIRA TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	<0.42
Water Absorption	ISO 10545-3	E≤0.5%
Breaking Strength	ISO 10545-4	Min 40
MOH's Hardness	EN 0	MOHS 7
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	GLB GHB
Stain Resistance	ISO 15045-14	Class 5

## RELATED PRODUCTS



### TIMBER

\$0.00



### MANDALAY

\$0.00



### SILK

\$0.00