



## BI'MAN AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
12x36	Porcelain	Rectified	Matte	1/2"	12	4	Min. 3/16"

## BI'MAN TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Water Absorption	ISO 10545-3	E>10%
Breaking Strength	ISO 10545-4	1100 N
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	GB GLB
Stain Resistance	ISO 10545-14	4



## PRODUCT DESCRIPTION

[Home](#) / [Porcelain & Ceramic Tile](#) / Bi'man



# BI'MAN

\$0.00

- [Description](#)
- [Additional information](#)

STOCKED IN LINCOLN, NE

#### AVAILABLE COLORS

Ivory  
Grey

Please contact the office for availability. [402-475-1300](tel:402-475-1300)

#### RECOMMENDED INSTALLATIONS

Wall

#### SHARE THIS STYLE



[GENERATE PDF](#)

## ADDITIONAL INFORMATION

<b>Color</b>	<a href="#">Grey</a> , <a href="#">White</a>
<b>Material</b>	<a href="#">3D Wall</a> , <a href="#">Decorative</a>
<b>Finish</b>	<a href="#">Matte</a>
<b>Price</b>	<a href="#">\$\$\$\$</a>

Bi'man quantity

Add to cart

SKU: biman

Category: [Porcelain & Ceramic Tile](#)

## BI'MAN AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
12x36	Porcelain	Rectified	Matte	1/2"	12	4	Min. 3/16"

## BI'MAN TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Water Absorption	ISO 10545-3	E>10%
Breaking Strength	ISO 10545-4	1100 N
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	GB GLB
Stain Resistance	ISO 10545-14	4

## RELATED PRODUCTS



**TIVOLI**

\$0.00



**ACID**

\$0.00



**BEACHWOOD**

\$0.00