BRICK AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box
3x11	Porcelain	Non-Rectified	Matte	1/4"	6.21	27

BRICK TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	N/A
Water Absorption	ISO 10545-3	E ≤ 0.5%
Breaking Strength	ISO 10545-4	1800-2400 N
MOH's Hardness	EN|0|	N/A
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	Conforms to standard GA
Stain Resistance	ISO 10545-14	Class 5

PRODUCT DESCRIPTION

BRICK

$0.00

- Description
- Additional information

STOCKED IN LINCOLN, NE

AVAILABLE COLORS

Negro
Perla
Tortora

Please contact the office for availability. 402-475-1300

RECOMMENDED INSTALLATIONS

Floor
Wall
Exterior

SHARE THIS STYLE



GENERATE PDF

ADDITIONAL INFORMATION

Color	Black, Grey, White
Material	Decorative, Stone
Finish	Matte
Price	$$

Brick quantity
1

Add to cart

SKU: brick

Categories: Glass & Accent Tile, Porcelain & Ceramic Tile, Trade Professionals

BRICK AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box
3x11	Porcelain	Non-Rectified	Matte	1/4"	6.21	27

BRICK TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	N/A
Water Absorption	ISO 10545-3	E ≤ 0.5%
Breaking Strength	ISO 10545-4	1800-2400 N
MOH's Hardness	EN|0|	N/A

Physical Properties	Standard	Results
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	Conforms to standard GA
Stain Resistance	ISO 10545-14	Class 5

RELATED PRODUCTS

-
  ### TIMBER

  $0.00

-
  ### CEMENTONIA

  $0.00

-
  ### VEIN

  $0.00