



## CALPUA AVAILABLE SIZES

| Sizes | Type    | Style         | Finish | Thickness | Sqft/Carton | Pieces/Box | Recommended Grout Joint |
|-------|---------|---------------|--------|-----------|-------------|------------|-------------------------|
| 10x20 | Ceramic | Non-Rectified | Glossy | 3/8"      | 17.745      | 13         | 1/8"                    |

## CALPUA TILE PERFORMANCE DATA

| Physical Properties  | Standard     | Results         |
|--|--------------|-----------------|
| Water Absorption   | ISO 10545-3  | EV>10%          |
| Breaking Strength  | ISO 10545-4  | ≥600N           |
| Variation  |              | V1              |
| Chemical Resistance<br>(Acid & Bases)<br>(Household Chemicals) | ISO 10545-13 | Minimum Class B |
| Stain Resistance   | ISO 10545-14 | Minimum Class B |

## PRODUCT DESCRIPTION

[Home](#) / [Porcelain & Ceramic Tile](#) / Calpua

## CALPUA



\$0.00

- [Description](#)
- [Additional information](#)

STOCKED IN LINCOLN, NE

## COLORS AVAILABLE

Blanco

## SIZES AVAILABLE

10x20

Please contact the office for availability. [402-475-1300](tel:402-475-1300)

## RECOMMENDED INSTALLATIONS

Interior | Exterior | Wall | Wet

## SHARE THIS LOOK



## ADDITIONAL INFORMATION

|        |                            |
|--------|----------------------------|
| Color  | <a href="#">White</a>      |
| Finish | <a href="#">Glossy</a>     |
| Size   | <a href="#">10x20</a>      |
| Style  | <a href="#">Decorative</a> |

Calpua quantity

Add to cart

SKU: Calpua 10x20

Categories: [Ceramic Tile](#), [Porcelain & Ceramic Tile](#), [Trade Professionals](#)

## CALPUA AVAILABLE SIZES

| Sizes | Type    | Style         | Finish | Thickness | Sqft/Carton | Pieces/Box | Recommended Grout Joint |
|-------|---------|---------------|--------|-----------|-------------|------------|-------------------------|
| 10x20 | Ceramic | Non-Rectified | Glossy | 3/8"      | 17.745      | 13         | 1/8"                    |

## CALPUA TILE PERFORMANCE DATA

| Physical Properties  | Standard     | Results         |
|--|--------------|-----------------|
| Water Absorption   | ISO 10545-3  | EV>10%          |
| Breaking Strength  | ISO 10545-4  | ≥600N           |
| Variation  |              | V1              |
| Chemical Resistance<br>(Acid & Bases)<br>(Household Chemicals) | ISO 10545-13 | Minimum Class B |

## Physical Properties

Stain Resistance

## Standard

ISO 10545-14

## Results

Minimum Class B

## RELATED PRODUCTS

- 

### TIVOLI

\$0.00

- 

### CREFOR

\$0.00

- 

### BERSE

\$0.00