



## CEMENTI AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
12x24	Porcelain	Rectified	Matte	3/8"	16	8	
24x24	Porcelain	Rectified	Matte	3/8"	16	4	
12x12	Porcelain	Mosaic 2x2	Matte	3/8"	11	11	

## CEMENTI TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	≥0.42 (suitable for dry areas)
Water Absorption	ISO 10545-3	E ≤ 0.2%
Breaking Strength	ISO 10545-4	2100 N
MOH's Hardness	EN 0	MOHS 9
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	Compliant Class GA
Stain Resistance	ISO 10545-14	Class 4



## PRODUCT DESCRIPTION

[Home](#) / [Porcelain & Ceramic Tile](#) / Cementi



# CEMENTI

\$0.00

- [Description](#)
- [Additional information](#)

STOCKED IN LINCOLN, NE

## AVAILABLE COLORS

Griggio  
Ivory  
Tabacco

Please contact the office for availability. [402-475-1300](tel:402-475-1300)

---

## RECOMMENDED INSTALLATIONS

Floor  
Wall  
Exterior

---

## SHARE THIS STYLE



[GENERATE PDF](#)

## ADDITIONAL INFORMATION

Color	<a href="#">Brown</a> , <a href="#">Grey</a> , <a href="#">White</a>
Material	<a href="#">Concrete</a>
Finish	<a href="#">Matte</a>
Price	<a href="#">\$</a>

Cementi quantity

Add to cart

SKU: cementi

Category: [Porcelain & Ceramic Tile](#)

## CEMENTI AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
12x24	Porcelain	Rectified	Matte	3/8"	16	8	
24x24	Porcelain	Rectified	Matte	3/8"	16	4	
12x12	Porcelain	Mosaic 2x2	Matte	3/8"	11	11	

## CEMENTI TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	≥0.42 (suitable for dry areas)
Water Absorption	ISO 10545-3	E ≤ 0.2%
Breaking Strength	ISO 10545-4	2100 N
MOH's Hardness	EN 0	MOHS 9
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	Compliant Class GA
Stain Resistance	ISO 10545-14	Class 4

## RELATED PRODUCTS

- 

### STONETREND

\$0.00

- 

### BRICK

\$0.00

- 

### CEMENTONIA

\$0.00