



CERA AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
2.7x11	Porcelain	Non-Rectified	Glossy	3/8"	26	5.5	1/8"
5x5	Porcelain	Non-Rectified	Glossy	3/8"	38	5.95	1/8"

CERA TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	<.42
Water Absorption	ISO 10545-3	<.5%
Breaking Strength	ISO 10545-4	>50 N
Variation		V3
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	Ga GHB
Stain Resistance	ISO 10545-14	Meets or Exceeds

PRODUCT DESCRIPTION

[Home](#) / [Porcelain & Ceramic Tile](#) / Cera

CERA





\$0.00

- [Additional information](#)

STOCKED IN LINCOLN, NE

COLORS AVAILABLE

Blue | Cream | Grey | Teal | White

SIZES AVAILABLE

2.7x11 | 5x5

Please contact the office for availability. [402-475-1300](tel:402-475-1300)

RECOMMENDED INSTALLATIONS

Interior | Exterior | Wall | Floor | Wet

SHARE THIS LOOK



ADDITIONAL INFORMATION

Color	Beige & Cream , Blue , Green , Grey , White
Finish	Glossy
Size	2.7×11 , 5×5
Style	Decorative

Cera quantity

Add to cart

SKU: Cera 2.7x11 , Cera 5x5

Categories: [Ceramic Tile](#), [Porcelain & Ceramic Tile](#), [Trade Professionals](#)

CERA AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
2.7x11	Porcelain	Non-Rectified	Glossy	3/8"	26	5.5	1/8"
5x5	Porcelain	Non-Rectified	Glossy	3/8"	38	5.95	1/8"

CERA TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	<.42
Water Absorption	ISO 10545-3	<.5%
Breaking Strength	ISO 10545-4	>50 N
Variation		V3
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	Ga GHB
Stain Resistance	ISO 10545-14	Meets or Exceeds

RELATED PRODUCTS



SARK STEEL

\$0.00



BEACHWOOD

\$0.00



MONACO

\$0.00