



COLORADO AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
8x48	Porcelain	Rectified	Matte	3/8"	13.34	5	Min. 1/8"

COLORADO TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	≥0.42
Water Absorption	ISO 10545-3	< 0.05%
Breaking Strength	ISO 10545-4	46N/mm ²
MOH's Hardness	EN 0	> 6
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	No Damage
Stain Resistance	ISO 10545-14	Resists



PRODUCT DESCRIPTION

[Home](#) / [Porcelain & Ceramic Tile](#) / Colorado





COLORADO

\$0.00

- [Description](#)
- [Additional information](#)

STOCKED IN LINCOLN, NE

Please contact the office for availability. [402-475-1300](tel:402-475-1300)

RECOMMENDED INSTALLATIONS

Floor
Wall
Exterior

SHARE THIS STYLE



[GENERATE PDF](#)

ADDITIONAL INFORMATION

Color	Beige & Cream , Brown , Grey , White
Material	Stone
Finish	Matte
Price	\$\$

Colorado quantity

1

Add to cart

SKU: colorado

Categories: [Porcelain & Ceramic Tile](#), [Trade Professionals](#)

COLORADO AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
8x48	Porcelain	Rectified	Matte	3/8"	13.34	5	Min. 1/8"

COLORADO TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	≥0.42
Water Absorption	ISO 10545-3	< 0.05%
Breaking Strength	ISO 10545-4	46N/mm ²
MOH's Hardness	EN 0	> 6
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	No Damage
Stain Resistance	ISO 10545-14	Resists

RELATED PRODUCTS



TIMBER

\$0.00



•
SILK

\$0.00



•
SARK STEEL

\$0.00