COLORADO AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
8x48	Porcelain	Rectified	Matte	3/8"	13.34	5	Min. 1/8"

COLORADO TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	≥0.42
Water Absorption	ISO 10545-3	< 0.05%
Breaking Strength	ISO 10545-4	46N/mm^2
MOH's Hardness	EN|0|	> 6
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	No Damage
Stain Resistance	ISO 10545-14	Resists

PRODUCT DESCRIPTION

COLORADO

$0.00

- Description
- Additional information

STOCKED IN LINCOLN, NE

Please contact the office for availability. 402-475-1300

RECOMMENDED INSTALLATIONS

Floor
Wall
Exterior

SHARE THIS STYLE

GENERATE PDF

ADDITIONAL INFORMATION

Color	Beige & Cream, Brown, Grey, White
Material	Stone
Finish	Matte
Price	$$

Colorado quantity
1

Add to cart

SKU: colorado

Categories: Porcelain & Ceramic Tile, Trade Professionals

COLORADO AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
8x48	Porcelain	Rectified	Matte	3/8"	13.34	5	Min. 1/8"

COLORADO TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	≥0.42
Water Absorption	ISO 10545-3	< 0.05%
Breaking Strength	ISO 10545-4	46N/mm^2
MOH's Hardness	EN|0|	> 6
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	No Damage
Stain Resistance	ISO 10545-14	Resists

RELATED PRODUCTS

BI’MAN

$0.00

-

BERSE

$0.00

-

ACID

$0.00