CORCHO AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
20x20	Porcelain	Non-Rectified	Matte	3/8"	16.67	6	
13x13	Porcelain	Non-Rectified	Matte	3/8"	14.08	12	
12x12	Porcelain	Mosaic 2x2	Matte	3/8"	4	4	

CORCHO TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	≥0.42
Water Absorption	ISO 10545-3	E ≤ 0.4%
Breaking Strength	ISO 10545-4	40÷55 N/mm^2
MOH's Hardness	EN|0|	MOHS 7
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	Compliant Compliant
Stain Resistance	ISO 10545-14	Complete

PRODUCT DESCRIPTION

CORCHO

$0.00

- Description
- Additional information

STOCKED IN LINCOLN, NE

AVAILABLE COLORS

Beige
Gray
Oil

Please contact the office for availability. 402-475-1300

RECOMMENDED INSTALLATIONS

Floor
Wall
Exterior

SHARE THIS STYLE

GENERATE PDF

ADDITIONAL INFORMATION

Color	Beige & Cream, Grey
Material	Fabric, Stone
Finish	Matte
Price	$

Corcho quantity
1

Add to cart

SKU: corcho

Categories: Porcelain & Ceramic Tile, Trade Professionals

CORCHO AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
20x20	Porcelain	Non-Rectified	Matte	3/8"	16.67	6	
13x13	Porcelain	Non-Rectified	Matte	3/8"	14.08	12	
12x12	Porcelain	Mosaic 2x2	Matte	3/8"	4	4	

CORCHO TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	≥0.42
Water Absorption	ISO 10545-3	E ≤ 0.4%
Breaking Strength	ISO 10545-4	40÷55 N/mm^2
MOH's Hardness	EN|0|	MOHS 7
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	Compliant Compliant
Stain Resistance	ISO 10545-14	Complete

RELATED PRODUCTS

- ### SILK

  $0.00

- ### SARK STEEL

  $0.00

- ### PULPIS

  $0.00