



DAVIDSON AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
24x24	Porcelain	Rectified	Semi-Glossy	3/8"	12	3	Min. 1/16"

DAVIDSON TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	≥0.42
Water Absorption	ISO 10545-3	E<0.5%
Breaking Strength	ISO 10545-4	>35
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	GA GA
Stain Resistance	ISO 10545-14	Class 3



PRODUCT DESCRIPTION

[Home](#) / [Porcelain & Ceramic Tile](#) / Davidson



DAVIDSON

\$0.00

- [Description](#)
- [Additional information](#)

STOCKED IN LINCOLN, NE

AVAILABLE COLORS

Black
Super White

Please contact the office for availability. [402-475-1300](tel:402-475-1300)

RECOMMENDED INSTALLATIONS

Floor
Wall
Exterior

SHARE THIS STYLE



[GENERATE PDF](#)

ADDITIONAL INFORMATION

Color	Brown, Gray, Black, White
Material	Wood, Stone, Concrete, Decorative, 3D Wall
Material	Decorative
Color	Black , White
Finish	Lappato
Price	\$\$

Davidson quantity

Add to cart

SKU: davidson

Categories: [Porcelain & Ceramic Tile](#), [Trade Professionals](#)

DAVIDSON AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
24x24	Porcelain	Rectified	Semi-Glossy	3/8"	12	3	Min. 1/16"

DAVIDSON TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	≥0.42
Water Absorption	ISO 10545-3	E<0.5%
Breaking Strength	ISO 10545-4	>35

Physical Properties	Standard	Results
Chemical Resistance (Acid & Bases)	ISO 10545-13	GA
(Household Chemicals)		GA
Stain Resistance	ISO 10545-14	Class 3

RELATED PRODUCTS



CORK

\$0.00



SARK STEEL

\$0.00



BEACHWOOD

\$0.00