



DEPOT AVAILABLE SIZES

| Sizes | Type | Style | Finish | Thickness | Sqft/Carton | Pieces/Box | Recommended Grout Joint |
|-------|-----------|-----------|--------|-----------|-------------|------------|-------------------------|
| 12x24 | Porcelain | Rectified | Matte | 3/8" | 16 | 8 | Min. 1/16" |

DEPOT TILE PERFORMANCE DATA

| Physical Properties | Standard | Results |
|--|-----------------|----------------------|
| Dynamic Coefficient of Friction | D.C.O.F. > 0.42 | Meets or Exceeds |
| Water Absorption | ISO 10545-3 | ≤ 0.5% |
| Breaking Strength | ISO 10545-4 | >35N/mm ² |
| MOH's Hardness | EN 0 | MOHS 5 |
| Chemical Resistance (Acid & Bases) (Household Chemicals) | ISO 10545-13 | |
| Stain Resistance | ISO 10545-14 | Meets or Exceeds |



PRODUCT DESCRIPTION

[Home](#) / [Porcelain & Ceramic Tile](#) / Depot



DEPOT

\$0.00

- [Description](#)

- [Additional information](#)

STOCKED IN LINCOLN, NE

AVAILABLE COLORS

Graphite
Grey
Sand

Please contact the office for availability. [402-475-1300](tel:402-475-1300)

RECOMMENDED INSTALLATIONS

Wall
Floor
Exterior

SHARE THIS STYLE



[GENERATE PDF](#)

ADDITIONAL INFORMATION

Color Brown, Gray, Black, White
Material Wood, Stone, Concrete, Decorative, 3D Wall

Depot quantity

Add to cart

SKU: depot

Categories: [Porcelain & Ceramic Tile](#), [Trade Professionals](#)

DEPOT AVAILABLE SIZES

| Sizes | Type | Style | Finish | Thickness | Sqft/Carton | Pieces/Box | Recommended Grout Joint |
|-------|-----------|-----------|--------|-----------|-------------|------------|-------------------------|
| 12x24 | Porcelain | Rectified | Matte | 3/8" | 16 | 8 | Min. 1/16" |

DEPOT TILE PERFORMANCE DATA

| Physical Properties | Standard | Results |
|--|-----------------|----------------------|
| Dynamic Coefficient of Friction | D.C.O.F. > 0.42 | Meets or Exceeds |
| Water Absorption | ISO 10545-3 | ≤ 0.5% |
| Breaking Strength | ISO 10545-4 | >35N/mm ² |
| MOH's Hardness | EN 0 | MOHS 5 |
| Chemical Resistance (Acid & Bases) (Household Chemicals) | ISO 10545-13 | |
| Stain Resistance | ISO 10545-14 | Meets or Exceeds |

RELATED PRODUCTS



CEMENTI

\$0.00



CEMENTONIA

\$0.00



MANDALAY

\$0.00