




## ENCAUSTIC AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
7.5x7.5	Porcelain	Non-Rectified	Matte	5/16"	8.97	23	Min. 1/8"

## ENCAUSTIC TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	Meets or Exceeds Standard
Water Absorption	ISO 10545-3	Meets or Exceeds Standard
Breaking Strength	ISO 10545-4	Meets or Exceeds Standard
MOH's Hardness	EN 0	Meets or Exceeds Standard
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	Meets or Exceeds Standard
Stain Resistance	ISO 10545-14	Meets or Exceeds Standard



## PRODUCT DESCRIPTION

---


[Home](#) / [Porcelain & Ceramic Tile](#) / Encaustic 7.5×7.5

























## ENCAUSTIC 7.5×7.5

\$0.00

- [Description](#)
- [Additional information](#)

STOCKED IN LINCOLN, NE

### AVAILABLE COLORS

Avenue  
Base Rock  
Base White  
Happy  
Leaves  
Poetry  
Round  
Sky  
Square

Please contact the office for availability. [402-475-1300](tel:402-475-1300)

---

### RECOMMENDED INSTALLATIONS

Floor

SHARE THIS STYLE



[GENERATE PDF](#)

## ADDITIONAL INFORMATION

<b>Color</b>	Brown, Gray, Black, White
<b>Material</b>	Wood, Stone, Concrete, Decorative, 3D Wall
<b>Color</b>	<a href="#">Beige &amp; Cream</a> , <a href="#">Black</a> , <a href="#">Brown</a> , <a href="#">Grey</a>
<b>Material</b>	<a href="#">Decorative</a>
<b>Finish</b>	<a href="#">Matte</a>
<b>Price</b>	<a href="#">\$\$</a>

Encaustic 7.5x7.5 quantity

Add to cart

SKU: encaustic

Categories: [Glass & Accent Tile](#), [Porcelain & Ceramic Tile](#), [Trade Professionals](#)

## ENCAUSTIC AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
7.5x7.5	Porcelain	Non-Rectified	Matte	5/16"	8.97	23	Min. 1/8"

## ENCAUSTIC TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	Meets or Exceeds Standard
Water Absorption	ISO 10545-3	Meets or Exceeds Standard
Breaking Strength	ISO 10545-4	Meets or Exceeds Standard
MOH's Hardness	EN   0	Meets or Exceeds Standard
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	Meets or Exceeds Standard
Stain Resistance	ISO 10545-14	Meets or Exceeds Standard

## RELATED PRODUCTS



## CEMENTONIA

\$0.00



## CREFOR

\$0.00



**CORK**

\$0.00