ENCAUSTIC AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
7.5x7.5	Porcelain	Non-Rectified	Matte	5/16"	8.97	23	Min. 1/8"

ENCAUSTIC TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	Meets or Exceeds Standard
Water Absorption	ISO 10545-3	Meets or Exceeds Standard
Breaking Strength	ISO 10545-4	Meets or Exceeds Standard
MOH's Hardness	EN|0|	Meets or Exceeds Standard
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	Meets or Exceeds Standard
Stain Resistance	ISO 10545-14	Meets or Exceeds Standard

PRODUCT DESCRIPTION

ENCAUSTIC 7.5×7.5

$0.00

- Description
- Additional information

STOCKED IN LINCOLN, NE

AVAILABLE COLORS

Avenue
Base Rock
Base White
Happy
Leaves
Poetry
Round
Sky
Square

Please contact the office for availability. 402-475-1300

RECOMMENDED INSTALLATIONS

Floor
Wall
Exterior

SHARE THIS STYLE

GENERATE PDF

ADDITIONAL INFORMATION

Color	Brown, Gray, Black, White
Material	Wood, Stone, Concrete, Decorative, 3D Wall
Color	Beige & Cream, Black, Brown, Grey
Material	Decorative
Finish	Matte
Price	$$

Encaustic 7.5x7.5 quantity
1

Add to cart

SKU: encaustic

Categories: Glass & Accent Tile, Porcelain & Ceramic Tile, Trade Professionals

ENCAUSTIC AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
7.5x7.5	Porcelain	Non-Rectified	Matte	5/16"	8.97	23	Min. 1/8"

ENCAUSTIC TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	Meets or Exceeds Standard
Water Absorption	ISO 10545-3	Meets or Exceeds Standard
Breaking Strength	ISO 10545-4	Meets or Exceeds Standard
MOH's Hardness	EN|0|	Meets or Exceeds Standard
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	Meets or Exceeds Standard
Stain Resistance	ISO 10545-14	Meets or Exceeds Standard

RELATED PRODUCTS

- ### BI'MAN

  $0.00

- ### SARK STEEL

  $0.00

- ### CEMENTI

  $0.00