



ENCAUSTIC AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
9x9	Porcelain	Non-Rectified	Matte	7/16"	11	20	Min. 1/8"

ENCAUSTIC TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	Meets or Exceeds Standard
Water Absorption	ISO 10545-3	Meets or Exceeds Standard
Breaking Strength	ISO 10545-4	Meets or Exceeds Standard
MOH's Hardness	EN 0	Meets or Exceeds Standard
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	Meets or Exceeds Standard
Stain Resistance	ISO 10545-14	Meets or Exceeds Standard



PRODUCT DESCRIPTION

[Home](#) / [Porcelain & Ceramic Tile](#) / Encaustic 9x9



ENCAUSTIC 9x9

\$0.00

- [Description](#)
- [Additional information](#)

STOCKED IN LINCOLN, NE

AVAILABLE COLORS

Egas
Epic
Euratt
Ignac
Odin
Onet

Please contact the office for availability. [402-475-1300](tel:402-475-1300)

RECOMMENDED INSTALLATIONS

Floor
Wall
Exterior

SHARE THIS STYLE



[GENERATE PDF](#)

ADDITIONAL INFORMATION

Color	Brown, Gray, Black, White
Material	Wood, Stone, Concrete, Decorative, 3D Wall
Color	Beige & Cream , Black , Brown , Grey
Material	Decorative
Finish	Matte
Price	\$\$

Encaustic 9x9 quantity

Add to cart

SKU: encaustic-1

Categories: [Glass & Accent Tile](#), [Porcelain & Ceramic Tile](#), [Trade Professionals](#)

ENCAUSTIC AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
9x9	Porcelain	Non-Rectified	Matte	7/16"	11	20	Min. 1/8"

ENCAUSTIC TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	Meets or Exceeds Standard
Water Absorption	ISO 10545-3	Meets or Exceeds Standard
Breaking Strength	ISO 10545-4	Meets or Exceeds Standard
MOH's Hardness	EN 0	Meets or Exceeds Standard
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	Meets or Exceeds Standard
Stain Resistance	ISO 10545-14	Meets or Exceeds Standard

RELATED PRODUCTS



CEMENTONIA

\$0.00



BI'MAN

\$0.00



CORK

\$0.00