FIBER AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
12x36	White Body	Rectified	Matte	3/8"	18	6	Min. 1/16"

FIBER TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Water Absorption	ISO 10545-3	E > 10%
Breaking Strength	ISO 10545-4	600 N
MOH's Hardness	EN|0|	Meets or Exceeds Standard
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	GHB GLB
Stain Resistance	ISO 10545-14	Complies

PRODUCT DESCRIPTION

FIBER

$0.00

- Description
- Additional information

STOCKED IN LINCOLN, NE

AVAILABLE COLORS

Beige
Taupe

Please contact the office for availability. 402-475-1300

RECOMMENDED INSTALLATIONS

Wall

SHARE THIS STYLE

GENERATE PDF

ADDITIONAL INFORMATION

Color	Beige & Cream, Taupe
Material	3D Wall, Fabric
Finish	Matte
Price	$$

Fiber quantity
1

Add to cart

SKU: fiber

Category: Ceramic Tile

FIBER AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
12x36	White Body	Rectified	Matte	3/8"	18	6	Min. 1/16"

FIBER TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Water Absorption	ISO 10545-3	E > 10%
Breaking Strength	ISO 10545-4	600 N
MOH's Hardness	EN|0|	Meets or Exceeds Standard
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	GHB GLB
Stain Resistance	ISO 10545-14	Complies

RELATED PRODUCTS

- ### CALPUA

  $0.00

- ### CREST

  $0.00

- ### TULLE

  $0.00