GLACIER AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
12x24	Porcelain	Non-Rectified	Matte	1/4"	12	6	Min. 1/8"

GLACIER TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	≥0.42
Water Absorption	ISO 10545-3	< 0.5%
Breaking Strength	ISO 10545-4	Compliant
MOH's Hardness	EN|0|	MOHS 5
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	Compliant Compliant
Stain Resistance	ISO 10545-14	Complete

PRODUCT DESCRIPTION

GLACIER

$0.00

- Description
- Additional information

STOCKED IN LINCOLN, NE

AVAILABLE COLORS

Grey
Marron
Noce
White

Please contact the office for availability. 402-475-1300

RECOMMENDED INSTALLATIONS

Floor
Wall
Exterior

SHARE THIS STYLE

GENERATE PDF

ADDITIONAL INFORMATION

Color	Brown, Grey, White
Material	Stone
Finish	Matte
Price	$

Glacier quantity
1

Add to cart

SKU: glacier

Categories: Porcelain & Ceramic Tile, Trade Professionals

GLACIER AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
12x24	Porcelain	Non-Rectified	Matte	1/4"	12	6	Min. 1/8"

GLACIER TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	≥0.42
Water Absorption	ISO 10545-3	< 0.5%
Breaking Strength	ISO 10545-4	Compliant
MOH's Hardness	EN|0|	MOHS 5
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	Compliant Compliant
Stain Resistance	ISO 10545-14	Complete

RELATED PRODUCTS

- ### BI'MAN

  $0.00

- ### COLORADO

  $0.00

- ### BEACHWOOD

  $0.00