





## ITALY AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
12x24	Porcelain	Non-Rectified	Matte	3/8"	15.49	8	
12x12	Porcelain	Mosaic 2x2	Matte	3/8"	9.69	10	
3x24	Porcelain		Matte	3/8"			

## ITALY TILE PERFORMANCE DATA




Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	≥ 0.42
Water Absorption	ANSI A137.1	≤ 0.5%
Resistance to freeze/thaw cycling	ASTM C1026	Resistant
Warpage (diagonal)	Warpage ± 0.4% or ± 0.07 in.	Comply with ANSI A137.1
Warpage (edge)	Warpage ± 0.4% or ± 0.05 in.	Comply with ANSI A137.1
Chemical Resistance (Acid & Bases) (Household Chemicals)	ASTM C650	Unaffected
Thickness	ASTM C499	Comply with ANSI A137.1
Wedging	± 0.25% or ± 0.03 in	Comply with ANSI A137.1



## PRODUCT DESCRIPTION

---

[Home](#) / [Porcelain & Ceramic Tile](#) / Italy



**ITALY**

\$0.00

- [Description](#)

- [Additional information](#)

1-2 WEEK LEAD TIME

Please contact the office for availability. [402-475-1300](tel:402-475-1300)

---

#### RECOMMENDED INSTALLATIONS

Wall  
Floor  
Exterior

---

#### SHARE THIS STYLE



[GENERATE PDF](#)

## ADDITIONAL INFORMATION

<b>Color</b>	Brown, Gray, Black, White
<b>Material</b>	Wood, Stone, Concrete, Decorative, 3D Wall
<b>Color</b>	<a href="#">Grey</a> , <a href="#">White</a>
<b>Finish</b>	<a href="#">Matte</a>
<b>Material</b>	<a href="#">Stone</a>
<b>Price</b>	\$

Italy quantity

Add to cart

SKU: italy

Categories: [Porcelain & Ceramic Tile](#), [Trade Professionals](#)

## ITALY AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
12x24	Porcelain	Non-Rectified	Matte	3/8"	15.49	8	
12x12	Porcelain	Mosaic 2x2	Matte	3/8"	9.69	10	
3x24	Porcelain		Matte	3/8"			

## ITALY TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	≥ 0.42
Water Absorption	ANSI A137.1	≤ 0.5%
Resistance to freeze/thaw cycling	ASTM C1026	Resistant
Warpage (diagonal)	Warpage ± 0.4% or ± 0.07 in.	Comply with ANSI A137.1

### Physical Properties

### Standard

### Results

Warpage (edge)

Warpage  $\pm 0.4\%$  or  
 $\pm 0.05$  in.

Comply with ANSI A137.1

Chemical Resistance  
(Acid & Bases)  
(Household Chemicals)

ASTM C650

Unaffected

Thickness

ASTM C499

Comply with ANSI A137.1

Wedging

$\pm 0.25\%$  or  $\pm 0.03$  in

Comply with ANSI A137.1

## RELATED PRODUCTS



### STONETREND

\$0.00



### SILK

\$0.00



•  
**CORCHO**

\$0.00