



## KAYLEE AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
24x48	Field	Stone	Polished	1/2"	16	2	1/8"

## KAYLEE TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Water Absorption	ISO 10545-3	<.5%
Breaking Strength	ISO 10545-4	<50 N
Variation		V2
Chemical Resistance	ISO10545-13	GA (Onix) GHB (Quartz)
Stain Resistance	ISO10545-14	Meets or Exceeds
Scratch Hardness	MOH's Scale	5



## PRODUCT DESCRIPTION

[Home](#) / [Porcelain & Ceramic Tile](#) / Kaylee



# KAYLEE

\$0.00

- [Description](#)
- [Additional information](#)

STOCKED IN LINCOLN, NE

## AVAILABLE COLORS

Onix  
Quartz

Please contact the office for availability. [402-475-1300](tel:402-475-1300)

## RECOMMENDED INSTALLATIONS

Wall  
Floor  
Wet

## SHARE THIS LOOK



[GENERATE PDF](#)

## ADDITIONAL INFORMATION

Finish [Polished](#)  
Size [24x48](#)  
Style [Stone](#)

Kaylee quantity

Add to cart

SKU: Kaylee

Category: [Porcelain & Ceramic Tile](#)

## KAYLEE AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
24x48	Field	Stone	Polished	1/2"	16	2	1/8"

## KAYLEE TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Water Absorption	ISO 10545-3	<.5%
Breaking Strength	ISO 10545-4	<50 N
Variation		V2

Physical Properties	Standard	Results
Chemical Resistance	ISO10545-13	GA (Onix) GHB (Quartz)
Stain Resistance	ISO10545-14	Meets or Exceeds
Scratch Hardness	MOH's Scale	5

## RELATED PRODUCTS



### PULPIS

\$0.00



### STONETREND

\$0.00



### CREFOR

\$0.00