



LINEAR AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
12x24	Field	Metallic	Matte	3/8"	12	6	1/8"

LINEAR TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Slip Resistance	DCOF	>.42
Water Absorption	ISO 10545-3	<.5%
Breaking Strength	ISO 10545-4	1600-2400 N
Variation		V2
Chemical Resistance	ISO10545-13	Class A
Stain Resistance	ISO10545-14	5
Scratch Hardness	MOH's Scale	



PRODUCT DESCRIPTION

[Home](#) / [Porcelain & Ceramic Tile](#) / Linear



LINEAR

\$0.00

- [Description](#)
- [Additional information](#)

STOCKED IN LINCOLN, NE

AVAILABLE COLORS

Emerald
Iron
Lead
Pearl
White

Please contact the office for availability. [402-475-1300](tel:402-475-1300)

RECOMMENDED INSTALLATIONS

Wall
Floor
Wet
Exterior

SHARE THIS LOOK



[GENERATE PDF](#)

ADDITIONAL INFORMATION

Finish [Matte](#)
Size [12x24](#)
Style [Metallic](#)

Linear quantity

Add to cart

SKU: Linear

Category: [Porcelain & Ceramic Tile](#)

LINEAR AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
12x24	Field	Metallic	Matte	3/8"	12	6	1/8"

LINEAR TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Slip Resistance	DCOF	>.42
Water Absorption	ISO 10545-3	<.5%
Breaking Strength	ISO 10545-4	1600-2400 N
Variation		V2
Chemical Resistance	ISO10545-13	Class A
Stain Resistance	ISO10545-14	5
Scratch Hardness	MOH's Scale	

RELATED PRODUCTS



SILK

\$0.00



STEAMSHIP

\$0.00



MONACO

\$0.00