



## LINEAR AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
12x24	Field	Metallic	Matte	3/8"	12	6	1/8"

## LINEAR TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Slip Resistance	DCOF	>.42
Water Absorption	ISO 10545-3	<.5%
Breaking Strength	ISO 10545-4	1600-2400 N
Variation		V2
Chemical Resistance	ISO10545-13	Class A
Stain Resistance	ISO10545-14	5
Scratch Hardness	MOH's Scale	



## PRODUCT DESCRIPTION

[Home](#) / [Porcelain & Ceramic Tile](#) / Linear



# LINEAR

\$0.00

- [Description](#)
- [Additional information](#)

STOCKED IN LINCOLN, NE

## AVAILABLE COLORS

Emerald  
Iron  
Lead  
Pearl  
White

Please contact the office for availability. [402-475-1300](tel:402-475-1300)

---

## RECOMMENDED INSTALLATIONS

Wall  
Floor  
Wet  
Exterior

---

## SHARE THIS LOOK



[GENERATE PDF](#)

## ADDITIONAL INFORMATION

Finish [Matte](#)  
Size [12x24](#)  
Style [Metallic](#)

Linear quantity

Add to cart

SKU: Linear

Category: [Porcelain & Ceramic Tile](#)

## LINEAR AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
12x24	Field	Metallic	Matte	3/8"	12	6	1/8"

## LINEAR TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Slip Resistance	DCOF	>.42
Water Absorption	ISO 10545-3	<.5%
Breaking Strength Variation	ISO 10545-4	1600-2400 N V2
Chemical Resistance	ISO10545-13	Class A
Stain Resistance	ISO10545-14	5
Scratch Hardness	MOH's Scale	

## RELATED PRODUCTS



### TIVOLI

\$0.00



### GLACIER

\$0.00



### BRICK

\$0.00