MANDALAY AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
18x18	Porcelain	Non-Rectified	Matte	5/16"	15.75	7	Min. 1/8"
12x12 (Multicolor)	Porcelain	Mosaic 2x2	Matte	5/16"	5	5	
3x18 Bullnose	Porcelain		Matte	5/16"			

MANDALAY TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	Meets or Exceeds Standard
Water Absorption	ISO 10545-3	E ≤ 0.5%
Breaking Strength	ISO 10545-4	Compliant
MOH's Hardness	EN|0|	Meets or Exceeds Standard
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	Compliant Compliant
Stain Resistance	ISO 10545-14	Compliant

PRODUCT DESCRIPTION

MANDALAY

$0.00

- Description
- Additional information

STOCKED IN LINCOLN, NE

AVAILABLE COLORS

Sand
Slate
Stone

Please contact the office for availability. 402-475-1300

RECOMMENDED INSTALLATIONS

Floor
Wall
Exterior

SHARE THIS STYLE

GENERATE PDF

ADDITIONAL INFORMATION

Color	Beige & Cream, Brown
Material	Stone
Finish	Matte
Price	$

Mandalay quantity
1

Add to cart

SKU: mandalay

Categories: Porcelain & Ceramic Tile, Trade Professionals

MANDALAY AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
18x18	Porcelain	Non-Rectified	Matte	5/16"	15.75	7	Min. 1/8"
12x12 (Multicolor)	Porcelain	Mosaic 2x2	Matte	5/16"	5	5	
3x18 Bullnose	Porcelain		Matte	5/16"			

MANDALAY TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	Meets or Exceeds Standard
Water Absorption	ISO 10545-3	E ≤ 0.5%
Breaking Strength	ISO 10545-4	Compliant
MOH's Hardness	EN|0|	Meets or Exceeds Standard
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	Compliant Compliant
Stain Resistance	ISO 10545-14	Compliant

RELATED PRODUCTS

- ## CEMENTONIA

  $0.00

- ## STEAMSHIP

  $0.00

- ## CREFOR

  $0.00