



MARBLE TECH AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
18x36	Porcelain	Rectified		3/8"	13.5	3	Min. 1/16"

MARBLE TECH TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	Meets or Exceeds Standard
Water Absorption	ISO 10545-3	Meets or Exceeds Standard
Breaking Strength	ISO 10545-4	Meets or Exceeds Standard
MOH's Hardness	EN 0	Meets or Exceeds Standard
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	Meets or Exceeds Standard
Stain Resistance	ISO 10545-14	Meets or Exceeds Standard



PRODUCT DESCRIPTION

[Home](#) / [Porcelain & Ceramic Tile](#) / Marble Tech



MARBLE TECH

\$0.00

- [Description](#)
- [Additional information](#)

STOCKED IN LINCOLN, NE

AVAILABLE COLORS

Grey
Ice

Please contact the office for availability. [402-475-1300](tel:402-475-1300)

RECOMMENDED INSTALLATIONS

Floor
Wall
Exterior

SHARE THIS STYLE



[GENERATE PDF](#)

ADDITIONAL INFORMATION

Color	Brown, Gray, Black, White
Material	Wood, Stone, Concrete, Decorative, 3D Wall
Material	Stone
Color	Grey , White
Finish	Sugar
Price	\$\$

Marble Tech quantity

Add to cart

SKU: marble-tech

Categories: [Porcelain & Ceramic Tile](#), [Trade Professionals](#)

MARBLE TECH AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
18x36	Porcelain	Rectified		3/8"	13.5	3	Min. 1/16"

MARBLE TECH TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	Meets or Exceeds Standard
Water Absorption	ISO 10545-3	Meets or Exceeds Standard
Breaking Strength	ISO 10545-4	Meets or Exceeds Standard

Physical Properties	Standard	Results
MOH's Hardness	EN 0	Meets or Exceeds Standard
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	Meets or Exceeds Standard
Stain Resistance	ISO 10545-14	Meets or Exceeds Standard

RELATED PRODUCTS

- 

CORK

\$0.00

- 

METRO

\$0.00

- 

MANDALAY

\$0.00