



MONACO AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
12x24	Porcelain	Rectified	Matte	3/8"	12	6	Min. 1/16"
24x48 (Plomo)	Porcelain	Rectified	Matte	3/8"	16	2	
12x12	Porcelain	Mosaic Hex	Matte	3/8"	5	5	

MONACO TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	Meets or Exceeds Standard
Water Absorption	ISO 10545-3	E ≤ 0.5%
Breaking Strength	ISO 10545-4	Compliant
MOH's Hardness	EN 0	MOHS 5
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	GHA Compliant
Stain Resistance	ISO 10545-14	Class 5



PRODUCT DESCRIPTION

[Home](#) / [Porcelain & Ceramic Tile](#) / Monaco



MONACO

\$0.00

- [Description](#)
- [Additional information](#)

STOCKED IN LINCOLN, NE

AVAILABLE COLORS

Bone
Ceniza
Crema
Noce
Plomo

Please contact the office for availability. [402-475-1300](tel:402-475-1300)

RECOMMENDED INSTALLATIONS

Floor
Wall
Exterior

SHARE THIS STYLE



[GENERATE PDF](#)

ADDITIONAL INFORMATION

Color	Beige & Cream , Brown , Grey , White
Material	Concrete
Finish	Matte
Price	\$

Monaco quantity

Add to cart

SKU: monaco

Categories: [Porcelain & Ceramic Tile](#), [Trade Professionals](#)

MONACO AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
12x24	Porcelain Rectified	Matte	3/8"	12	6	Min. 1/16"	
24x48 (Plomo)	Porcelain Rectified	Matte	3/8"	16	2		
12x12	Porcelain Mosaic Hex	Matte	3/8"	5	5		

MONACO TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	Meets or Exceeds Standard
Water Absorption	ISO 10545-3	$E \leq 0.5\%$
Breaking Strength	ISO 10545-4	Complaint
MOH's Hardness	EN 0	MOHS 5
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	GHA Complaint
Stain Resistance	ISO 10545-14	Class 5

RELATED PRODUCTS



TIVOLI

\$0.00



BERSE

\$0.00



CEMENTONIA

\$0.00