



## MONTBLANC AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
3x3 Mosaic	Porcelain	Rectified	Matte	3/8"	10.7635	11	1/8"
12x24	Porcelain	Rectified	Polished & Matte	3/8"	12	6	1/8"

## MONTBLANC TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	>.42
Water Absorption	ISO 10545-3	<.5%
Breaking Strength	ISO 10545-4	869 N
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	PASS



## PRODUCT DESCRIPTION

[Home](#) / [Porcelain & Ceramic Tile](#) / Montblanc



## MONTBLANC

\$0.00

- [Description](#)
- [Additional information](#)

STOCKED IN LINCOLN, NE

#### AVAILABLE FINISHES

Polished  
Matte

Please contact the office for availability. [402-475-1300](tel:402-475-1300)

#### RECOMMENDED INSTALLATIONS

Floor  
Wall  
Exterior

#### SHARE THIS LOOK



[GENERATE PDF](#)

## ADDITIONAL INFORMATION

**Finish** [Matte](#), [Polished](#)  
**Size** [12x24](#), [3x3 Mosaic](#)  
**Style** [Stone](#)

Montblanc quantity

Add to cart

SKU: Montblanc

Category: [Porcelain & Ceramic Tile](#)

## MONTBLANC AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
3x3 Mosaic	Porcelain Rectified	Matte		3/8"	10.7635	11	1/8"
12x24	Porcelain Rectified	Polished & Matte		3/8"	12	6	1/8"

## MONTBLANC TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	>.42
Water Absorption	ISO 10545-3	<.5%
Breaking Strength	ISO 10545-4	869 N
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	PASS

## RELATED PRODUCTS



### **CREFOR**

\$0.00



### **BRICK**

\$0.00



### **COLORADO**

\$0.00