



## MONTBLANC AVAILABLE SIZES

| Sizes      | Type      | Style     | Finish           | Thickness | Sqft/Carton | Pieces/Box | Recommended Grout Joint |
|------------|-----------|-----------|------------------|-----------|-------------|------------|-------------------------|
| 3x3 Mosaic | Porcelain | Rectified | Matte            | 3/8"      | 10.7635     | 11         | 1/8"                    |
| 12x24      | Porcelain | Rectified | Polished & Matte | 3/8"      | 12          | 6          | 1/8"                    |

## MONTBLANC TILE PERFORMANCE DATA

| Physical Properties  | Standard        | Results |
|--|-----------------|---------|
| Dynamic Coefficient of Friction                                | D.C.O.F. > 0.42 | >.42    |
| Water Absorption   | ISO 10545-3     | <.5%    |
| Breaking Strength  | ISO 10545-4     | 869 N   |
| Chemical Resistance<br>(Acid & Bases)<br>(Household Chemicals) | ISO 10545-13    | PASS    |



## PRODUCT DESCRIPTION

[Home](#) / [Porcelain & Ceramic Tile](#) / Montblanc



# MONTBLANC

\$0.00

- [Description](#)
- [Additional information](#)

STOCKED IN LINCOLN, NE

#### AVAILABLE FINISHES

Polished  
Matte

Please contact the office for availability. [402-475-1300](tel:402-475-1300)

#### RECOMMENDED INSTALLATIONS

Floor  
Wall  
Exterior

#### SHARE THIS LOOK



[GENERATE PDF](#)

## ADDITIONAL INFORMATION

**Finish** [Matte](#), [Polished](#)  
**Size** [12x24](#), [3x3 Mosaic](#)  
**Style** [Stone](#)

Montblanc quantity

Add to cart

SKU: Montblanc

Category: [Porcelain & Ceramic Tile](#)

## MONTBLANC AVAILABLE SIZES

| Sizes      | Type                | Style            | Finish | Thickness | Sqft/Carton | Pieces/Box | Recommended Grout Joint |
|------------|---------------------|------------------|--------|-----------|-------------|------------|-------------------------|
| 3x3 Mosaic | Porcelain Rectified | Matte            |        | 3/8"      | 10.7635     | 11         | 1/8"                    |
| 12x24      | Porcelain Rectified | Polished & Matte |        | 3/8"      | 12          | 6          | 1/8"                    |

## MONTBLANC TILE PERFORMANCE DATA

| Physical Properties             | Standard        | Results |
|---------------------------------|-----------------|---------|
| Dynamic Coefficient of Friction | D.C.O.F. > 0.42 | >.42    |
| Water Absorption                | ISO 10545-3     | <.5%    |
| Breaking Strength               | ISO 10545-4     | 869 N   |

## Physical Properties

## Standard

## Results

Chemical Resistance  
(Acid & Bases)  
(Household Chemicals)

ISO 10545-13

PASS

## RELATED PRODUCTS



### **BERSE**

\$0.00



### **CREFOR**

\$0.00



### **METRO**

\$0.00