



SUAVE AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
18x36	Field	Stone	Matte	3/8"	13.5	3	1/8"

SUAVE TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Slip Resistance	DCOF	>.42
Water Absorption	ISO10545-3	<.1%
Breaking Strength	ISO10545-4	Meets or Exceeds
Chemical Resistance	ISO10545-13	Meets or Exceeds
Stain Resistance	ISO10545-14	Meets or Exceeds
Scratch Hardness	Moh'sScale	Meets or Exceeds
Variation		V3



PRODUCT DESCRIPTION

[Home](#) / [Porcelain & Ceramic Tile](#) / Suave



SUAVE

\$0.00

- [Description](#)
- [Additional information](#)

STOCKED IN LINCOLN, NE

AVAILABLE FINISHES

Antracita
Blanco
Grafito
Gris

Please contact the office for availability. [402-475-1300](tel:402-475-1300)

RECOMMENDED INSTALLATIONS

Floor
Wall
Wet
Exterior

SHARE THIS LOOK



[GENERATE PDF](#)

ADDITIONAL INFORMATION

Finish [Matte](#)
Size [18x36](#)
Style [Stone](#)

Suave quantity

Add to cart

SKU: Suave

Category: [Porcelain & Ceramic Tile](#)

SUAVE AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
18x36	Field	Stone	Matte	3/8"	13.5	3	1/8"

SUAVE TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Slip Resistance	DCOF	>.42

Physical Properties	Standard	Results
Water Absorption	ISO10545-3	<.1%
Breaking Strength	ISO10545-4	Meets or Exceeds
Chemical Resistance	ISO10545-13	Meets or Exceeds
Stain Resistance	ISO10545-14	Meets or Exceeds
Scratch Hardness	Moh'sScale	Meets or Exceeds
Variation		V3

RELATED PRODUCTS

- 

CEMENTI

\$0.00

- 

ACID

\$0.00

- 

TIMBER

\$0.00