



## TEREN AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
12x36	White Body	Rectified	Matte	3/8"	12	6	Min. 1/8"
2x24	Porcelain	Rectified	Matte	3/8"	6.25	20	Min. 1/8"
4x24	Porcelain	Rectified	Matte	3/8"	6.5	10	Min. 1/8"
12x24	Porcelain	Rectified	Matte	3/8"	12	6	Min. 1/8"
24x24	Porcelain	Rectified	Matte	3/8"	12	3	Min. 1/8"
18x36	Porcelain	Rectified	Matte	3/8"	13.5	3	Min. 1/8"
36x36	Porcelain	Rectified	Matte	3/8"	9	1	Min. 1/8"
48x48	Porcelain	Rectified	Matte	3/8"	16	1	Min. 1/8"
48x102	Porcelain	Rectified	Matte	3/8"	35	1	Min. 1/8"
48x102	Porcelain	Rectified	Matte	3/8"	35	1	Min. 1/8"
12x12	Porcelain	Mosaic 1x1	Matte	3/8"	5	5	Min. 1/8"
12x12	Porcelain	Mosaic 2x2	Matte	3/8"	5	5	Min. 1/8"
12x12	Porcelain	Mosaic 1x6	Matte	3/8"	5	5	Min. 1/8"
12x18	Porcelain	Mosaic Offset	Matte	3/8"	5	5	Min. 1/8"

## TEREN PORCELAIN TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Wet Loaded Barefoot	DIN 51097	Class A (Natural) Class B (Hammered) Class B (Anti-Slip)
Water Absorption	EN-ISO10545-3	E ≤ 0.5%
Breaking Strength	EN-ISO10545-4	>1300N
Chemical Resistance (Acid & Bases) (Household Chemicals)	EN-ISO10545-13	Compliant
Stain Resistance	EN-ISO10545-14	Class 5



## PRODUCT DESCRIPTION

[Home](#) / [Porcelain & Ceramic Tile](#) / Teren





# TEREN

\$0.00

- [Description](#)
- [Additional information](#)

**6-8 WEEK LEAD TIME**

## AVAILABLE COLORS

- Biscuit
- Black
- Coal
- Dark Grey
- Greige
- Light Grey
- White

Please contact the office for availability. [402-475-1300](tel:402-475-1300)

---

## RECOMMENDED INSTALLATIONS

- Wall Only (White Body)
  - Wall
  - Floor
  - Exterior
- 

## SHARE THIS STYLE



[GENERATE PDF](#)

## ADDITIONAL INFORMATION

<b>Color</b>	White, Black Grey Beige
<b>Material</b>	Stone
<b>Material</b>	<a href="#">3D Wall</a> , <a href="#">Stone</a>
<b>Finish</b>	<a href="#">Matte</a>

Price

\$\$\$

Teren quantity

Add to cart

SKU: Teren

Categories: [Porcelain & Ceramic Tile](#), [Trade Professionals](#)

## TEREN AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
12x36	White Body	Rectified	Matte	3/8"	12	6	Min. 1/8"
2x24	Porcelain	Rectified	Matte	3/8"	6.25	20	Min. 1/8"
4x24	Porcelain	Rectified	Matte	3/8"	6.5	10	Min. 1/8"
12x24	Porcelain	Rectified	Matte	3/8"	12	6	Min. 1/8"
24x24	Porcelain	Rectified	Matte	3/8"	12	3	Min. 1/8"
18x36	Porcelain	Rectified	Matte	3/8"	13.5	3	Min. 1/8"
36x36	Porcelain	Rectified	Matte	3/8"	9	1	Min. 1/8"
48x48	Porcelain	Rectified	Matte	3/8"	16	1	Min. 1/8"
48x102	Porcelain	Rectified	Matte	3/8"	35	1	Min. 1/8"
48x102	Porcelain	Rectified	Matte	3/8"	35	1	Min. 1/8"
12x12	Porcelain	Mosaic 1x1	Matte	3/8"	5	5	Min. 1/8"
12x12	Porcelain	Mosaic 2x2	Matte	3/8"	5	5	Min. 1/8"
12x12	Porcelain	Mosaic 1x6	Matte	3/8"	5	5	Min. 1/8"
12x18	Porcelain	Mosaic Offset	Matte	3/8"	5	5	Min. 1/8"

## TEREN PORCELAIN TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Wet Loaded Barefoot	DIN 51097	Class A (Natural) Class B (Hammered) Class B (Anti-Slip)
Water Absorption	EN-IS010545-3	E ≤ 0.5%
Breaking Strength	EN-IS010545-4	>1300N
Chemical Resistance (Acid & Bases) (Household Chemicals)	EN-IS010545-13	Compliant
Stain Resistance	EN-IS010545-14	Class 5

## RELATED PRODUCTS



### BERSE

\$0.00



### SARK STEEL

\$0.00



# STEAMSHIP

\$0.00