



## TUBI AVAILABLE SIZES

| Sizes        | Type       | Style         | Finish | Thickness | Sqft/Carton | Pieces/Box | Recommended Grout Joint |
|--------------|------------|---------------|--------|-----------|-------------|------------|-------------------------|
| 12x36 (Wall) | White Body | Rectified     | Matte  | 3/8"      | 12          | 6          | Min. 1/8"               |
| 2x24         | Porcelain  | Rectified     | Matte  | 3/8"      | 6.25        | 20         | Min. 1/8"               |
| 4x24         | Porcelain  | Rectified     | Matte  | 3/8"      | 6.5         | 10         | Min. 1/8"               |
| 12x24        | Porcelain  | Rectified     | Matte  | 3/8"      | 12          | 6          | Min. 1/8"               |
| 24x24        | Porcelain  | Rectified     | Matte  | 3/8"      | 12          | 3          | Min. 1/8"               |
| 18x36        | Porcelain  | Rectified     | Matte  | 3/8"      | 13.5        | 3          | Min. 1/8"               |
| 36x36        | Porcelain  | Rectified     | Matte  | 3/8"      | 9           | 1          | Min. 1/8"               |
| 48x48        | Porcelain  | Rectified     | Matte  | 3/8"      | 16          | 1          | Min. 1/8"               |
| 48x102       | Porcelain  | Rectified     | Matte  | 3/8"      | 35          | 1          | Min. 1/8"               |
| 48x102       | Porcelain  | Rectified     | Matte  | 3/8"      | 35          | 1          | Min. 1/8"               |
| 12x12        | Porcelain  | Mosaic 1x1    | Matte  | 3/8"      | 5           | 5          | Min. 1/8"               |
| 12x12        | Porcelain  | Mosaic 2x2    | Matte  | 3/8"      | 5           | 5          | Min. 1/8"               |
| 12x12        | Porcelain  | Mosaic 1x6    | Matte  | 3/8"      | 5           | 5          | Min. 1/8"               |
| 12x18        | Porcelain  | Mosaic Offset | Matte  | 3/8"      | 5           | 5          | Min. 1/8"               |

## TUBI PORCELAIN TILE PERFORMANCE DATA

| Physical Properties  | Standard       | Results                                  |
|--|----------------|--|
| Wet Loaded Barefoot  | DIN 51097      | Class A (Natural)<br>Class C (Anti-Slip) |
| Water Absorption   | EN-ISO10545-3  | E ≤ 0.5%                                 |
| Breaking Strength  | EN-ISO10545-4  | >1300N                                   |
| Chemical Resistance<br>(Acid & Bases)<br>(Household Chemicals) | EN-ISO10545-13 | GA/GLA                                   |
| Stain Resistance   | EN-ISO10545-14 | Class 5                                  |



## PRODUCT DESCRIPTION

[Home](#) / [Porcelain & Ceramic Tile](#) / Tubi





# TUBI

\$0.00

- [Description](#)
- [Additional information](#)

**6-8 WEEK LEAD TIME**

## AVAILABLE COLORS

Anthracite  
Cloud  
Light  
Taupe

Please contact the office for availability. [402-475-1300](tel:402-475-1300)

---

## RECOMMENDED INSTALLATIONS

Wall Only (White Body)  
Wall  
Floor  
Exterior

---

## SHARE THIS STYLE



[GENERATE PDF](#)

## ADDITIONAL INFORMATION

|                 |  |
|-----------------|--|
| <b>Color</b>    | White, Black Grey Beige  |
| <b>Material</b> | Stone  |
| <b>Material</b> | <a href="#">3D Wall</a> , <a href="#">Concrete</a> , <a href="#">Stone</a> |
| <b>Finish</b>   | <a href="#">Matte</a>  |
| <b>Price</b>    | <a href="#">\$\$\$</a>   |

Tubi quantity

Add to cart

SKU: Tubi

Categories: [Porcelain & Ceramic Tile](#), [Trade Professionals](#)

## TUBI AVAILABLE SIZES

| Sizes        | Type       | Style         | Finish | Thickness | Sqft/Carton | Pieces/Box | Recommended Grout Joint |
|--------------|------------|---------------|--------|-----------|-------------|------------|-------------------------|
| 12x36 (Wall) | White Body | Rectified     | Matte  | 3/8"      | 12          | 6          | Min. 1/8"               |
| 2x24         | Porcelain  | Rectified     | Matte  | 3/8"      | 6.25        | 20         | Min. 1/8"               |
| 4x24         | Porcelain  | Rectified     | Matte  | 3/8"      | 6.5         | 10         | Min. 1/8"               |
| 12x24        | Porcelain  | Rectified     | Matte  | 3/8"      | 12          | 6          | Min. 1/8"               |
| 24x24        | Porcelain  | Rectified     | Matte  | 3/8"      | 12          | 3          | Min. 1/8"               |
| 18x36        | Porcelain  | Rectified     | Matte  | 3/8"      | 13.5        | 3          | Min. 1/8"               |
| 36x36        | Porcelain  | Rectified     | Matte  | 3/8"      | 9           | 1          | Min. 1/8"               |
| 48x48        | Porcelain  | Rectified     | Matte  | 3/8"      | 16          | 1          | Min. 1/8"               |
| 48x102       | Porcelain  | Rectified     | Matte  | 3/8"      | 35          | 1          | Min. 1/8"               |
| 48x102       | Porcelain  | Rectified     | Matte  | 3/8"      | 35          | 1          | Min. 1/8"               |
| 12x12        | Porcelain  | Mosaic 1x1    | Matte  | 3/8"      | 5           | 5          | Min. 1/8"               |
| 12x12        | Porcelain  | Mosaic 2x2    | Matte  | 3/8"      | 5           | 5          | Min. 1/8"               |
| 12x12        | Porcelain  | Mosaic 1x6    | Matte  | 3/8"      | 5           | 5          | Min. 1/8"               |
| 12x18        | Porcelain  | Mosaic Offset | Matte  | 3/8"      | 5           | 5          | Min. 1/8"               |

## TUBI PORCELAIN TILE PERFORMANCE DATA

| Physical Properties  | Standard       | Results                                  |
|--|----------------|--|
| Wet Loaded Barefoot  | DIN 51097      | Class A (Natural)<br>Class C (Anti-Slip) |
| Water Absorption   | EN-ISO10545-3  | E ≤ 0.5%                                 |
| Breaking Strength  | EN-ISO10545-4  | >1300N                                   |
| Chemical Resistance<br>(Acid & Bases)<br>(Household Chemicals) | EN-ISO10545-13 | GA/GLA                                   |
| Stain Resistance   | EN-ISO10545-14 | Class 5                                  |

## RELATED PRODUCTS



### STONETREND

\$0.00



### CARBONITE

\$0.00



### CEMENTONIA

\$0.00