URBANO AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
12x24	Porcelain	Non-Rectified	Matte	3/8"	12	6	Min. 1/8"

URBANO TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	≥0.42
Water Absorption	ISO 10545-3	E<0.5%
Breaking Strength	ISO 10545-4	> 1300 N
MOH's Hardness	EN|0|	
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	
Stain Resistance	ISO 15045-14	

PRODUCT DESCRIPTION

URBANO

$0.00

- Description
- Additional information

STOCKED IN LINCOLN, NE

AVAILABLE COLORS

Argent
Plumb
Tortora

Please contact the office for availability. 402-475-1300

RECOMMENDED INSTALLATIONS

Wall
Floor
Exterior

SHARE THIS STYLE

GENERATE PDF

ADDITIONAL INFORMATION

Color	Gray, White
Material	Wood, Stone, Concrete, Decorative, 3D Wall
Material	Concrete
Finish	Matte
Price	$

Urbano quantity
1

Add to cart

SKU: urbano

Categories: Porcelain & Ceramic Tile, Trade Professionals

URBANO AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
12x24	Porcelain	Non-Rectified	Matte	3/8"	12	6	Min. 1/8"

URBANO TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	≥0.42

Physical Properties	Standard	Results
Water Absorption	ISO 10545-3	E<0.5%
Breaking Strength	ISO 10545-4	> 1300 N
MOH's Hardness	EN|0|	
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	
Stain Resistance	ISO 15045-14	

RELATED PRODUCTS

- ### BRICK

  $0.00

- ### TIVOLI

  $0.00

- ### ACID

  $0.00