



## VAIL AVAILABLE SIZES

| Sizes | Type      | Style         | Finish | Thickness | Sqft/Carton | Pieces/Box | Recommended Grout Joint |
|-------|-----------|---------------|--------|-----------|-------------|------------|-------------------------|
| 8x40  | Porcelain | Non-Rectified | Matte  | 3/8"      | 15.07       | 7          |                         |

## VAIL TILE PERFORMANCE DATA

| Physical Properties  | Standard                     | Results                 |
|--|------------------------------|-------------------------|
| Dynamic Coefficient of Friction                                | D.C.O.F. > 0.42              | ≥ 0.42                  |
| Water Absorption   | ANSI A137.1                  | ≤ 0.5%                  |
| Resistance to freeze/thaw cycling                              | ASTM C1026                   | Resistant               |
| Warpage (diagonal)   | Warpage ± 0.4% or ± 0.07 in. | Comply with ANSI A137.1 |
| Warpage (edge)   | Warpage ± 0.4% or ± 0.05 in. | Comply with ANSI A137.1 |
| Chemical Resistance<br>(Acid & Bases)<br>(Household Chemicals) | ASTM C650                    | Unaffected              |
| Thickness  | ASTM C499                    | Comply with ANSI A137.1 |
| Wedging  | ± 0.25% or ± 0.03 in         | Comply with ANSI A137.1 |



## PRODUCT DESCRIPTION

[Home](#) / [Porcelain & Ceramic Tile](#) / Vail



## VAIL

\$0.00

- [Description](#)
- [Additional information](#)

1-2 WEEK LEAD TIME

#### AVAILABLE COLORS

Oak  
Walnut

Please contact the office for availability. [402-475-1300](tel:402-475-1300)

#### RECOMMENDED INSTALLATIONS

Wall  
Floor  
Exterior

#### SHARE THIS STYLE



[GENERATE PDF](#)

## ADDITIONAL INFORMATION

|                 |   |
|-----------------|---|
| <b>Color</b>    | Brown, Gray, Black, White                                 |
| <b>Material</b> | Wood, Stone, Concrete, Decorative, 3D Wall                |
| <b>Color</b>    | <a href="#">Beige &amp; Cream</a> , <a href="#">Brown</a> |
| <b>Finish</b>   | <a href="#">Matte</a>                                     |
| <b>Material</b> | <a href="#">Wood</a>                                      |
| <b>Price</b>    | \$  |

Vail quantity

Add to cart

SKU: vail

Categories: [Porcelain & Ceramic Tile](#), [Trade Professionals](#)

## VAIL AVAILABLE SIZES

| Sizes | Type      | Style         | Finish | Thickness | Sqft/Carton | Pieces/Box | Recommended Grout Joint |
|-------|-----------|---------------|--------|-----------|-------------|------------|-------------------------|
| 8x40  | Porcelain | Non-Rectified | Matte  | 3/8"      | 15.07       | 7          |                         |

## VAIL TILE PERFORMANCE DATA

| Physical Properties               | Standard        | Results   |
|-----------------------------------|-----------------|-----------|
| Dynamic Coefficient of Friction   | D.C.O.F. > 0.42 | ≥ 0.42    |
| Water Absorption                  | ANSI A137.1     | ≤ 0.5%    |
| Resistance to freeze/thaw cycling | ASTM C1026      | Resistant |

| Physical Properties  | Standard                              | Results                 |
|--|---------------------------------------|-------------------------|
| Warpage (diagonal)   | Warpage $\pm 0.4\%$ or $\pm 0.07$ in. | Comply with ANSI A137.1 |
| Warpage (edge)   | Warpage $\pm 0.4\%$ or $\pm 0.05$ in. | Comply with ANSI A137.1 |
| Chemical Resistance<br>(Acid & Bases)<br>(Household Chemicals) | ASTM C650                             | Unaffected              |
| Thickness  | ASTM C499                             | Comply with ANSI A137.1 |
| Wedging  | $\pm 0.25\%$ or $\pm 0.03$ in         | Comply with ANSI A137.1 |

## RELATED PRODUCTS



### CARBONITE

\$0.00



### TIVOLI

\$0.00



### CEMENTI

\$0.00