



VEIN AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
12x24	Porcelain	Rectified	Matte	3/8"	16	8	Min. 1/8"

VEIN TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	Meets or Exceeds Standard
Water Absorption	ISO 10545-3	Meets or Exceeds Standard
Breaking Strength	ISO 10545-4	Meets or Exceeds Standard
MOH's Hardness	EN 0	Meets or Exceeds Standard
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	Meets or Exceeds Standard
Stain Resistance	ISO 10545-14	Meets or Exceeds Standard



PRODUCT DESCRIPTION

[Home](#) / [Porcelain & Ceramic Tile](#) / Vein



VEIN

\$0.00

- [Description](#)
- [Additional information](#)

STOCKED IN LINCOLN, NE

AVAILABLE COLORS

Cafe
Oxford

Please contact the office for availability. [402-475-1300](tel:402-475-1300)

RECOMMENDED INSTALLATIONS

Floor
Wall
Exterior

SHARE THIS STYLE



[GENERATE PDF](#)

ADDITIONAL INFORMATION

Color	Beige & Cream , Black , Brown , Taupe
Material	Stone , Wood
Finish	Matte
Price	\$

Vein quantity

Add to cart

SKU: vein

Categories: [Limited Stock Title](#), [Porcelain & Ceramic Tile](#)

VEIN AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
12x24	Porcelain	Rectified	Matte	3/8"	16	8	Min. 1/8"

VEIN TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	Meets or Exceeds Standard
Water Absorption	ISO 10545-3	Meets or Exceeds Standard
Breaking Strength	ISO 10545-4	Meets or Exceeds Standard
MOH's Hardness	EN 0	Meets or Exceeds Standard
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	Meets or Exceeds Standard

Physical Properties

Stain Resistance

Standard

ISO 10545-14

Results

Meets or Exceeds Standard

RELATED PRODUCTS

- 

BEACHWOOD

\$0.00

- 

BERSE

\$0.00

- 

STEAMSHIP

\$0.00