



VENA AVAILABLE SIZES

| Sizes | Type | Style | Finish | Thickness | Sqft/Carton | Pieces/Box | Recommended Grout Joint |
|-----------------|-------|-------|--------|-----------|-------------|------------|-------------------------|
| 12x24 Vein Cut | Field | Stone | Matte | 3/8" | 16 | 8 | 1/8" |
| 24x24 Cross Cut | Field | Stone | Matte | 3/8" | 16 | 4 | 1/8" |

VENA TILE PERFORMANCE DATA

| Physical Properties | Standard | Results |
|-------------------------|-------------|----------|
| Slip Resistance | ANSI A326.3 | >.42 |
| Water Absorption | ISO10545-3 | <.1% |
| Resistance to Staining | ISO10545-14 | Exceeds |
| Break Strength | ISO10545-4 | 2300 N |
| Resistance to Chemicals | ISO10545-13 | PASS |
| Scratch Hardness | ISO10545-6 | <150 mm3 |



PRODUCT DESCRIPTION

[Home](#) / [Porcelain & Ceramic Tile](#) / Vena





VENA

\$0.00

- [Description](#)
- [Additional information](#)

STOCKED IN LINCOLN, NE

AVAILABLE FINISHES

Beige
Blanco
Cenere
Tortora

Please contact the office for availability. [402-475-1300](tel:402-475-1300)

RECOMMENDED INSTALLATIONS

Floor
Wall
Wet
Exterior

SHARE THIS LOOK



[GENERATE PDF](#)

ADDITIONAL INFORMATION

Finish [Matte](#)
Size [12×24](#), [24×24](#)
Style [Stone](#)

Vena quantity

Add to cart

SKU: Vena

Category: [Porcelain & Ceramic Tile](#)

VENA AVAILABLE SIZES

| Sizes | Type | Style | Finish | Thickness | Sqft/ Carton | Pieces/Box | Recommended Grout Joint |
|----------------|-------|-------|--------|-----------|--------------|------------|-------------------------|
| 12x24 Vein Cut | Field | Stone | Matte | 3/8" | 16 | 8 | 1/8" |

| Sizes | Type | Style | Finish | Thickness | Sqft/Carton | Pieces/Box | Recommended Grout Joint |
|-----------------|-------------|-------|--------|-----------|-------------|------------|-------------------------|
| 24x24 Cross Cut | Field Stone | Matte | 3/8" | 16 | 4 | 1/8" | |

VENA TILE PERFORMANCE DATA

| Physical Properties | Standard | Results |
|-------------------------|-------------|----------|
| Slip Resistance | ANSI A326.3 | >.42 |
| Water Absorption | ISO10545-3 | <.1% |
| Resistance to Staining | ISO10545-14 | Exceeds |
| Break Strength | ISO10545-4 | 2300 N |
| Resistance to Chemicals | ISO10545-13 | PASS |
| Scratch Hardness | ISO10545-6 | <150 mm3 |

RELATED PRODUCTS



MONACO

\$0.00



TIVOLI

\$0.00



STONETREND

\$0.00