



## WYOMING AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
6x24	Field	Wood	Matte	3/8"	15	15	1/8"

## WYOMING TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Slip Resistance	DCOF	>.42
Water Absorption	c373	<.5%
Breaking Strength	C648	Complies ansi A137.1
Variation		V4



## PRODUCT DESCRIPTION

[Home](#) / [Porcelain & Ceramic Tile](#) / Wyoming



# WYOMING

\$0.00

- [Description](#)
- [Additional information](#)

STOCKED IN LINCOLN, NE

## AVAILABLE FINISHES

Beige  
Grey

Please contact the office for availability. [402-475-1300](tel:402-475-1300)

## RECOMMENDED INSTALLATIONS

Floor  
Wall  
Wet  
Exterior

## SHARE THIS LOOK



[GENERATE PDF](#)

## ADDITIONAL INFORMATION

Finish [Matte](#)  
Size [6x24](#)  
Style [Wood](#)

Wyoming quantity

Add to cart

SKU: Wyoming

Category: [Porcelain & Ceramic Tile](#)

## WYOMING AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
6x24	Field	Wood	Matte	3/8"	15	15	1/8"

## WYOMING TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Slip Resistance	DCOF	>.42
Water Absorption	c373	<.5%

## Physical Properties

Breaking Strength  
Variation

Standard  
C648

Results  
Complies ansi A137.1  
V4

## RELATED PRODUCTS

- 

### TIMBER

\$0.00

- 

### PULPIS

\$0.00

- 

### GLACIER

\$0.00