



## ZAHARA AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
18x36	Porcelain	Rectified	Matte	3/8"	13.5	3	Min. 3/16"

## ZAHARA TILE PERFORMANCE DATA

	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	
Water Absorption	ISO 10545-3	
Breaking Strength	ISO 10545-4	
MOH's Hardness	EN 0	
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	
Stain Resistance	ISO 10545-14	



## PRODUCT DESCRIPTION

[Home](#) / [Porcelain & Ceramic Tile](#) / Zahara



## ZAHARA

\$0.00

- [Description](#)
- [Additional information](#)

STOCKED IN LINCOLN, NE

#### AVAILABLE COLORS

Grey  
Ivory

Please contact the office for availability. [402-475-1300](tel:402-475-1300)

#### RECOMMENDED INSTALLATIONS

Wall  
Exterior

#### SHARE THIS STYLE



[GENERATE PDF](#)

## ADDITIONAL INFORMATION

<b>Color</b>	Brown, Gray, Black, White
<b>Material</b>	Wood, Stone, Concrete, Decorative, 3D Wall
<b>Material</b>	<a href="#">3D Wall</a>
<b>Color</b>	<a href="#">Beige &amp; Cream</a> , <a href="#">Grey</a>
<b>Finish</b>	<a href="#">Matte</a>
<b>Price</b>	<a href="#">\$\$\$</a>

Zahara quantity

Add to cart

SKU: zahara

Category: [Porcelain & Ceramic Tile](#)

## ZAHARA AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
18x36	Porcelain	Rectified	Matte	3/8"	13.5	3	Min. 3/16"

## ZAHARA TILE PERFORMANCE DATA

	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	
Water Absorption	ISO 10545-3	
Breaking Strength	ISO 10545-4	
MOH's Hardness	EN 0	

Chemical Resistance  
(Acid & Bases)  
(Household Chemicals)  
Stain Resistance

**Standard**

**Results**

ISO 10545-13

ISO 10545-14

## RELATED PRODUCTS



### **CARBONITE**

\$0.00



### **STEAMSHIP**

\$0.00



### **COLORADO**

\$0.00