




## ZAHARA AVAILABLE SIZES

| Sizes | Type      | Style     | Finish | Thickness | Sqft/Carton | Pieces/Box | Recommended Grout Joint |
|-------|-----------|-----------|--------|-----------|-------------|------------|-------------------------|
| 18x36 | Porcelain | Rectified | Matte  | 3/8"      | 13.5        | 3          | Min. 3/16"              |

## ZAHARA TILE PERFORMANCE DATA

|  | Standard        | Results |
|--|-----------------|---------|
| Dynamic Coefficient of Friction                                | D.C.O.F. > 0.42 |         |
| Water Absorption   | ISO 10545-3     |         |
| Breaking Strength  | ISO 10545-4     |         |
| MOH's Hardness   | EN 0            |         |
| Chemical Resistance<br>(Acid & Bases)<br>(Household Chemicals) | ISO 10545-13    |         |
| Stain Resistance   | ISO 10545-14    |         |




## PRODUCT DESCRIPTION

---

[Home](#) / [Porcelain & Ceramic Tile](#) / Zahara







## ZAHARA

\$0.00

- [Description](#)
- [Additional information](#)

STOCKED IN LINCOLN, NE

### AVAILABLE COLORS

Grey  
Ivory

Please contact the office for availability. [402-475-1300](tel:402-475-1300)

---

### RECOMMENDED INSTALLATIONS

Wall  
Exterior

---

SHARE THIS STYLE



[GENERATE PDF](#)

## ADDITIONAL INFORMATION

|                 |  |
|-----------------|--|
| <b>Color</b>    | Brown, Gray, Black, White                                |
| <b>Material</b> | Wood, Stone, Concrete, Decorative, 3D Wall               |
| <b>Material</b> | <a href="#">3D Wall</a>                                  |
| <b>Color</b>    | <a href="#">Beige &amp; Cream</a> , <a href="#">Grey</a> |
| <b>Finish</b>   | <a href="#">Matte</a>                                    |
| <b>Price</b>    | <a href="#">\$\$\$</a>                                   |

Zahara quantity

Add to cart

SKU: zahara

Category: [Porcelain & Ceramic Tile](#)

## ZAHARA AVAILABLE SIZES

| Sizes | Type      | Style     | Finish | Thickness | Sqft/Carton | Pieces/Box | Recommended Grout Joint |
|-------|-----------|-----------|--------|-----------|-------------|------------|-------------------------|
| 18x36 | Porcelain | Rectified | Matte  | 3/8"      | 13.5        | 3          | Min. 3/16"              |

## ZAHARA TILE PERFORMANCE DATA

|  | Standard        | Results |
|--|-----------------|---------|
| Dynamic Coefficient of Friction                                | D.C.O.F. > 0.42 |         |
| Water Absorption   | ISO 10545-3     |         |
| Breaking Strength  | ISO 10545-4     |         |
| MOH's Hardness   | EN 0            |         |
| Chemical Resistance<br>(Acid & Bases)<br>(Household Chemicals) | ISO 10545-13    |         |
| Stain Resistance   | ISO 10545-14    |         |

## RELATED PRODUCTS



## CORCHO

\$0.00



## BRICK

\$0.00



**BI'MAN**

\$0.00