



| Sizes | Type  | Style | Finish | Thickness | Sqft/Carton | Pieces/Box | Recommended Grout Joint |
|-------|-------|-------|--------|-----------|-------------|------------|-------------------------|
| 20x40 | Field | Wood  | Matte  | 3/8"      | 16.05       | 3          | 1/8"                    |

## PATINA TILE PERFORMANCE DATA

| Physical Properties | Standard       | Results   |
|---------------------|----------------|-----------|
| Slip Resistance     | DIN 51130      | R10       |
| Water Absorption    | ISO 10545-3    | EB < 0.1% |
| Breaking Strength   | ISO 10545-4    | >2500 N   |
| Variation           |                | V3        |
| Chemical Resistance | ISO10545-13    | MIN.GA/UA |
| Stain Resistance    | ISO10545-14    | Class 4   |
| Crazing Resistance  | EN ISO10545-11 | Pass      |



# PRODUCT DESCRIPTION

---

[Home](#) / Product Size / 20x40





# PATINA

\$0.00

- [Description](#)
- [Additional information](#)

STOCKED IN LINCOLN, NE

## AVAILABLE COLORS

Gold  
Green

Please contact the office for availability. [402-475-1300](tel:402-475-1300)

---

## RECOMMENDED INSTALLATIONS

Wall  
Floor  
Wet  
Exterior

---



[GENERATE PDF](#)

## ADDITIONAL INFORMATION

|        |                                                   |
|--------|---------------------------------------------------|
| Finish | <a href="#">Matte</a>                             |
| Size   | <a href="#">20×40</a>                             |
| Style  | <a href="#">Decorative</a> , <a href="#">Wood</a> |

Patina quantity

Add to cart

SKU: Patina

Category: [Porcelain & Ceramic Tile](#)

## PATINA AVAILABLE SIZES

| Sizes | Type  | Style | Finish | Thickness | Sqft/Carton | Pieces/Box | Recommended Grout Joint |
|-------|-------|-------|--------|-----------|-------------|------------|-------------------------|
| 20x40 | Field | Wood  | Matte  | 3/8"      | 16.05       | 3          | 1/8"                    |

## PATINA TILE PERFORMANCE DATA

| Physical Properties | Standard       | Results   |
|---------------------|----------------|-----------|
| Slip Resistance     | DIN 51130      | R10       |
| Water Absorption    | ISO 10545-3    | EB < 0.1% |
| Breaking Strength   | ISO 10545-4    | >2500 N   |
| Variation           |                | V3        |
| Chemical Resistance | ISO10545-13    | MIN.GA/UA |
| Stain Resistance    | ISO10545-14    | Class 4   |
| Crazing Resistance  | EN ISO10545-11 | Pass      |

## RELATED PRODUCTS



## BI'MAN

\$0.00



## STONETREND

\$0.00



## BERSE

\$0.00