



[table "279" not found /]

BOGY TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	>.50
Water Absorption	ISO 10545-3	<.5%
Breaking Strength	ISO 10545-4	1600-2400 N
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	Class A
Stain Resistance	ISO 10545-14	Class 5





PRODUCT DESCRIPTION

[Home](#) / Product Size / Geometric Mosaic











BOGY

\$0.00

- [Description](#)
- [Additional information](#)

STOCKED IN LINCOLN, NE

AVAILABLE COLORS

Cream
Silver
Stone
White

Please contact the office for availability. [402-475-1300](tel:402-475-1300)

RECOMMENDED INSTALLATIONS

Floor
Wall
Exterior

SHARE THIS LOOK



[GENERATE PDF](#)

ADDITIONAL INFORMATION

Finish	Matte
Size	48×48 , Geometric Mosaic
Style	Stone

Bogy quantity

Add to cart

SKU: bogy

Categories: [Porcelain & Ceramic Tile](#), [Trade Professionals](#)

[table “279” not found /]

BOGY TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Dynamic Coefficient of Friction	D.C.O.F. > 0.42	>.50
Water Absorption	ISO 10545-3	<.5%
Breaking Strength	ISO 10545-4	1600-2400 N
Chemical Resistance (Acid & Bases) (Household Chemicals)	ISO 10545-13	Class A

	Physical Properties	Standard	Results
Stain Resistance		ISO 10545-14	Class 5

RELATED PRODUCTS



CREFOR

\$0.00



PULPIS

\$0.00



GLACIER

\$0.00