



Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
12x24	Porcelain	Rectified	Lappato	3/8"	12	6	Min. 1/8"
24x24	Porcelain	Rectified	Matte	3/8"	16	4	Min. 1/8"

CROME TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Slip Resistance	DCOF	>.42
Water Absorption	ISO10545-3	≤.5%
Breaking Strength	ISO10545-4	1600-2400 N
Chemical Resistance	ISO10545-13	Complies
Stain Resistance	ISO10545-14	5
Abrasion Resistance	ISO10545-6	<130 mm3
Variation		V1


PRODUCT DESCRIPTION

[Home](#) / [Product Style](#) / [Concrete](#)


CROME



CROME MARENGO




CROME MARFIL



CROME PERLA

CROME MARENGO MATTE 24X24

CROME MARFIL MATTE 24X24



CROME PERLA MATTE 24X24



CROME MARFIL LAPPATO 12X24

CROME PERLA LAPPATO 12X24

\$0.00

- [Description](#)
- [Additional information](#)

STOCKED IN LINCOLN, NE

COLORS AVAILABLE

Marengo | Marfil | Perla

SIZES AVAILABLE

12x24 Lappato | Marfil & Perla
24x24 Matte | Marengo, Marfil, Perla

Please contact the office for availability. [402-475-1300](tel:402-475-1300)

RECOMMENDED INSTALLATIONS

Interior | Exterior | Wall | Floor

SHARE THIS LOOK



ADDITIONAL INFORMATION

Finish	Lappato, Matte
Size	12×24, 24×24
Style	Concrete

Crome quantity

Add to cart

SKU: Crome 12x24 Lapatto, Crome 24x24 Matte

Categories: [Ceramic Tile](#), [Porcelain & Ceramic Tile](#), [Trade Professionals](#)

CROME AVAILABLE SIZES

Sizes	Type	Style	Finish	Thickness	Sqft/Carton	Pieces/Box	Recommended Grout Joint
12x24	Porcelain	Rectified	Lappato	3/8"	12	6	Min. 1/8"
24x24	Porcelain	Rectified	Matte	3/8"	16	4	Min. 1/8"

CROME TILE PERFORMANCE DATA

Physical Properties	Standard	Results
Slip Resistance	DCOF	>.42
Water Absorption	ISO10545-3	≤.5%
Breaking Strength	ISO10545-4	1600-2400 N
Chemical Resistance	ISO10545-13	Complies
Stain Resistance	ISO10545-14	5
Abrasion Resistance	ISO10545-6	<130 mm3
Variation		V1

RELATED PRODUCTS



STEAMSHIP

\$0.00



CREFOR

\$0.00



MANDALAY

\$0.00